

128420ZB

Sample Name: HyBar- Blue Razz
Sample #: 128420ZB
Sample Type: Inhalable
Sample Size: 3 units
Net Weight (g): 3.197

Produced: 12/03/2023
Collected: 12/06/2023
Received: 12/06/2023
Completed: 12/11/2023
Batch#: 2224294382640

Distributor
N/A

Producer
California Leaf Company
3550 Cadillac Avenue
Costa Mesa, CA 92626



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	12/08/2023	Complete
Moisture	12/07/2023	% - Complete
Water Activity	12/09/2023	0.50 aw - Pass
Terpenes	12/10/2023	Complete
Residual Solvents	12/09/2023	Pass
Microbials	12/08/2023	Pass
Mycotoxins	12/09/2023	Pass
Pesticides	12/08/2023	Pass
Heavy Metals	12/08/2023	Pass
Foreign Matter	12/09/2023	Pass

Cannabinoids (mg/container)

Complete

Total THCa = 2980.17 Total Δ9-THC = 8.613 Total Δ8-THC = None Detected Total THCP = None Detected Total THCH = None Detected	Total THCO = None Detected Total THCV = None Detected Total CBD = None Detected Total CBN = None Detected Total CBG = None Detected	Total Cannabinoids 2988.78
---	--	---

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg
THCA	0.00	0.01	99.339	2980.170
Δ9-THC	0.00	0.01	0.287	8.613
Δ8-THC	0.00	0.01	ND	ND
THCV	0.00	0.01	ND	ND
CBDA	0.00	0.01	ND	ND
CBD	0.00	0.01	ND	ND
CBDV	0.00	0.01	ND	ND
CBN	0.00	0.01	ND	ND
CBGA	0.00	0.01	ND	ND
CBG	0.00	0.01	ND	ND
CBC	0.00	0.01	ND	ND
Δ10-THC	0.00	0.01	ND	ND
Δ8-THCO	0.00	0.01	ND	ND
HXC	0.00	0.01	Nd	ND
PHC	0.00	0.01	ND	ND
THCP	0.00	0.01	ND	ND
THCB	0.00	0.01	ND	ND
TOTAL THC			87.446	2623.365
TOTAL CBD			ND	ND
TOTAL			87.446	2623.365

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD

LOD = Limit of Detection; LOQ = Limit of Quantification; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

128420ZB

Sample Name: HyBar- Blue Razz
Sample #: 128420ZB
Sample Type: Inhalable
Sample Size: 3 units
Net Weight (g): 3.197

Produced: 12/03/2023
Collected: 12/06/2023
Received: 12/06/2023
Completed: 12/11/2023
Batch#: 2224294382640

Distributor
N/A

Producer
California Leaf Company
3550 Cadillac Avenue
Costa Mesa, CA 92626

Pesticides

Pass

Pesticides	LOD	LOQ	Limit	Mass	Status	Pesticides	LOD	LOQ	Limit	Mass	Status
	ug/g	ug/g	ug/g	ug/g			ug/g	ug/g	ug/g	ug/g	
Abamectin	0.0375	0.075	0.3	ND	Pass	Fludioxonil	0.01875	0.075	30	ND	Pass
Acephate	0.01875	0.075	5	ND	Pass	Hexythiazox	0.01875	0.075	2	ND	Pass
Acequinocyl	0.075	0.1	4	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	5	ND	Pass	Imidacloprid	0.01875	0.075	3	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	1	ND	Pass
Azoxystrobin	0.01875	0.075	40	ND	Pass	Malathion	0.01875	0.1	5	ND	Pass
Bifenazate	0.01875	0.075	5	ND	Pass	Metalaxyl	0.01875	0.1	15	ND	Pass
Bifenthrin	0.01875	0.1	0.5	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	10	ND	Pass	Methomyl	0.01875	0.075	0.1	ND	Pass
Captan	0.01875	0.075	5	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	9	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.5	ND	Pass
Chlorantraniliprole	0.01875	0.1	0.01875	ND	Pass	Oxamyl	0.01875	0.075	0.2	ND	Pass
Chlordane	0.01875	0.075	0.01875	ND	Pass	Paclobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.01875	0.075	0.01875	ND	Pass	Parathion Methyl	0.01875	0.075	0.01875	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.01875	0.075	0.2	ND	Pass
Clofentezine	0.01875	0.075	0.5	ND	Pass	Permethrin	0.01875	0.1	20	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.2	ND	Pass
Cyfluthrin	0.01875	0.075	1	ND	Pass	Piperonyl Butoxide	0.01875	0.1	8	ND	Pass
Cypermethrin	0.01875	0.075	1	ND	Pass	Prallethrin	0.01875	0.075	0.4	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	20	ND	Pass
Diazinon	0.01875	0.075	0.2	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	1	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	3	ND	Pass
Dimethomorph	0.01875	0.1	20	ND	Pass	Spinetoram	0.01875	0.075	3	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	3	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	12	ND	Pass
Etoxazole	0.01875	0.075	1.5	ND	Pass	Spirotetramat	0.01875	0.075	13	ND	Pass
Fenhexamid	0.0375	0.075	10	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	2	ND	Pass
Fenpyroximate	0.05625	0.075	2	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	4.5	ND	Pass
Fonicamid	0.0375	0.075	2	ND	Pass	Trifloxystrobin	0.01875	0.075	30	ND	Pass

Date Tested: 12/08/2023

Pesticides by LC-MSMS: CGL-P-720-007-B; Pesticides by GC-MSMS: CGL-P-720-008-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

128420ZB

Sample Name: HyBar- Blue Razz	Produced: 12/03/2023	Distributor N/A	Producer California Leaf Company
Sample #: 128420ZB	Collected: 12/06/2023		3550 Cadillac Avenue
Sample Type: Inhalable	Received: 12/06/2023		Costa Mesa, CA 92626
Sample Size: 3 units	Completed: 12/11/2023		
Net Weight (g): 3.197	Batch#: 2224294382640		

Microbials

Pass

Microbials	Result	Status
Shiga toxin-producing E. Coli	Not Detected in 1 g	Pass
Salmonella SPP	Not Detected in 1 g	Pass

Date Tested: 12/08/2023
Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

Mycotoxins

Pass

Mycotoxins	LOD ug/kg	LOQ ug/kg	Limit ug/kg	Result ug/kg	Status
B1	1.25	5		ND	Tested
B2	1.25	5		ND	Tested
G1	1.25	5		ND	Tested
G2	2.5	5		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	6.6	16.6	20	ND	Pass

Date Tested: 12/09/2023
Mycotoxins by LC-MSMS: CGL-P-720-007-B
LOQ = Limit of Quantitation


Heavy Metals

Pass

Metals	LOD ug/kg	LOQ ug/kg	Limit ug/kg	Result ug/kg	Status
Arsenic	0.000124	0.05	1.5	<LOQ	Pass
Cadmium	0.000111	0.05	0.5	<LOQ	Pass
Lead	0.000119	0.05	0.5	<LOQ	Pass
Mercury	0.000097	0.05	3	<LOQ	Pass

Date Tested: 12/08/2023
Heavy Metals by ICP-MS: CGL-P-720-012-B
LOQ = Limit of Quantitation




Samantha Lui - Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

128420ZB

Sample Name: HyBar– Blue Razz	Produced: 12/03/2023	Distributor	Producer
Sample #: 128420ZB	Collected: 12/06/2023	N/A	California Leaf Company
Sample Type: Inhalable	Received: 12/06/2023		3550 Cadillac Avenue
Sample Size: 3 units	Completed: 12/11/2023		Costa Mesa, CA 92626
Net Weight (g): 3.197	Batch#: 2224294382640		

Residual Solvents

Pass

Solvents	LOD	LOQ	Limit	Result	Status
	ug/kg	ug/kg	ug/kg	ug/kg	
1,2 Dichloroethane	0.2344	0.4688	1	ND	Pass
Acetone	23.438	187.5	5000	ND	Pass
Acetonitrile	23.438	187.5	410	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass
Ethanol	23.438	187.5	5000	ND	Pass
Ethyl Acetate	23.438	187.5	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	ND	Pass
Isopropanol	23.438	187.5	5000	ND	Pass
m+p Xylene	23.438	187.5		ND	Pass
Methanol	93.75	187.5	3000	ND	Pass
Methylene Chloride	0.2344	0.4688	1	ND	Pass
n-Hexane	23.438	187.5	290	ND	Pass
o-Xylene	23.438	187.5		ND	Pass
Pentane	23.438	197.5	5000	ND	Pass
Propane	23.438	93.75	5000	ND	Pass
Toluene	23.438	187.5	890	ND	Pass
Trichloroethene	0.2344	0.4688	1	ND	Pass
Xylenes	23.438	187.5	2170	ND	Pass

Date Tested: 12/09/2023

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TESTED & TRUSTED



Samantha Lui
Samantha Lui - Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.